

PAS

CL-PAS-1600

CHENGLIAN

 产品特性
Product Features



- ✓
- ✓ 90~264VAC
- ✓ -30~+70
- ✓ PFC PF 0.98
- ✓ 105
- ✓ / /
- ✓
- ✓ 100%
- ✓ 3

 应用领域
Application area

,LED LED

 参考标准
Reference standard

EN 55032\IEC61000-4-2,3,4,5,6,8,11\IEC61547\GB4943



 产品描述
Product Description

CL-PAS-1600-48V LED LED 90~264VAC 12V 24V 36V

			<input type="checkbox"/>	<input checked="" type="checkbox"/>	
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>


● 环境温度降额曲线

● 输入电压降额曲线



● 机构尺寸

Organizational size



端子脚位定义

引脚编号	引脚功能	引脚编号	引脚功能
1	AC/L	4~6	DC OUTPUT+V
2	AC/N	7~9	DC OUTPUT-V

 **产品安装、使用说明:**
Installation and Use Guide

1
2

3
4

5
6

AWG18#

0519-69882516

 **运输、储存:**
Transportation and storage:

1
2

50cm

1

20cm

CHEUNGGLIAN