


CHENGLIAN

## 产品特性 Product Features



- ✓
- ✓
- ✓
- ✓
- ✓
- ✓
- ✓
- ✓

## 应用领域 Application area

## 参考标准 Reference standard


## 产品描述 Product Description

CZL-100A-12	CZL-100A-24	CZL-100A-36	CZL-100A-48
176~264VAC			
230VAC/1.2A			
86%	88%	87%	88%
47~63HZ			

CHEENGLIAO

MTBF	25	100000Hrs	MIL-217	Method	
	129*97*30	* *			
	0.32Kg/	40 /	13.5KG/		
	<input checked="" type="checkbox"/>	<input type="checkbox"/>			
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	-40 )	<input type="checkbox"/>
*			230VAC		25
*			30%		100W
	130W				
*		20MHz			
	12mm	10uF	0.1uF		

EMC




机构尺寸  
Organizational size

CHE

## 安装方式: Installation method:

### 警示

- 使用安装螺丝M3\*6mm,
- 深入外壳螺丝深度MAX 3mm,
- 详见右图



## 产品安装、使用说明: Installation and User Guide:

## 运输、储存: Transportation and storage:

CHEENGLIAO